

ArtWeld Gabion Standard Submittal Documents

For: 9 Gauge
Class III
Galvanized 3"x3"
Welded Wire
Mesh
100% Domestic



- Sample Certification
- Product Specification
- Standard Drawing

Click to jump to section

- Construction Guide
- Product Warranty



Davis Wire Corporation

19411 80th Avenue South, Kent, Washington 98032
(253) 867-1200 (800) 872-8920; Fax (253) 395-3729

CERTIFICATE OF COMPLIANCE

Shipped Date: 2017-05-01
Sales Order Number: S042577
Customer PO Number: 11988

SOLD TO:

HILFIKER RETAINING WALLS
3900 BROADWAY
EUREKA, CA 95502

PCS:

23 Rolls

MATERIAL DESCRIPTION:

PF 3X3 9GA/9GA 75INX400F GV T3

REQUIRED SPECIFICATION:

ASTM A-1064 and ASTM A-641,

HEAT ANALYSIS:

269316, C=.05, MN=.47, P=.011, S=.020, SI=.17 (9 Ga Class III)

MANUFACTURED BY:

**Davis Wire Corporation
19411 80th Ave. South
Kent, Washington 98032**

Materials attested to above have been produced to the best industry practices and in all respects comply with the above stated specification. The product is manufactured from steel melted and produced in the United States.

Sincerely,

Romeo Patilea

QUALITY ASSURANCE

Quality Management System Certified to ISO 9001:2008



Davis Wire Corporation

19411 80th Avenue South, Kent, Washington 98032
(253) 867-1200 (800) 872-8920; Fax (253) 395-3729

Test Report:
Sales Order Number: S042577

Weld Shear: PF 3X3 9GA/9GA 75INX400F GV T3

Minimum Weld Shear (Lbs.): 595

Actual Values (Lbs.)

849 963 1220 1085

Galv Class 3 Fab 9GA For S&C

Tensile Test Reports per ASTM A-1064 (W Wire with a minimum tensile of 75 KPSI or Deform wire with a minimum tensile of 80 KPSI)

Batch Number	Diameter (In.)	Break (Lbs.)	Tensile (KPSI)
1330761	0.15	1633	92.4
1330760	0.148	1639	95.3
1330762	0.1475	1629	95.3
1330763	0.149	1666	95.5

Quality Management System Certified to ISO 9001:2008

**QUALITY SERVICE
RELIABILITY**

**OUR
COMMITMENT**



ArtWeld Gabion Product Specification (Galvanized, 9 Gauge Wire)

1.0 DESCRIPTION

This work shall consist of Hilfiker ArtWeld Gabions (welded wire mesh) and filling the gabions with rock in accordance with the details shown on project plans and special provisions.

2.0 MATERIALS

Gabions shall be of a single unit construction. The base, ends, sides, and lid shall be either welded into a single unit or shall be connected in such a manner that strength and flexibility at the connection are at least equal to that of the wire mesh. The gabions shall be fabricated in such a manner that they can be assembled at the construction site with Spiral Binders and pre-formed stiffeners into rectangular baskets of the specified size.

The height, length, and width of the gabions shall not vary more than 5 percent from the dimensions shown on the plans.

Gabions shall be divided into cells of equal length, not more than 3 feet long, by diaphragms made of the same wire mesh as used for the gabion body. Each gabion shall be fabricated with the necessary diaphragm or diaphragms secured in proper position on the base in such a manner that no additional tying at the base will be necessary.

Wire for the manufacture and assembly of gabions shall *meet or exceed* any combination of the following requirements:

<u>Description</u>	<u>Requirement</u>
3"x3" (7.62 cm x 7.62 cm), 9 Ga. - 0.144 in. min. (3.66 mm) Welded Wire Fabric	ASTM A1064, A370 <i>Exception: Weld Shear at 800 lbs of force min.</i>
Galvanization: (9 Ga. 0.90 oz/SF)	ASTM A641, A90
9 Ga. Galvanized Pre-Formed Stiffener	N/A
9 Ga. Galvanized Spiral Binder - min. 0.144 in. (3.66 mm)	ASTM A641, A90
13.5 Ga. Tie Wire - min. 0.086 in. (2.2 mm) Galvanized 0.70 oz/SF	ASTM A641, A90

3.0 ROCK

Rock for filling the gabions shall be as listed:

100% passing 8 inches (20.3 cm), 0-5% passing 4 inches (10.2 cm)

4.0 CONSTRUCTION

Gabions shall first be assembled individually as empty units. Each gabion shall be manufactured with the necessary panels, properly spaced and secured, so they can be rotated into position at the construction site with no additional tying of the rotation joint. The panels and diaphragms shall be rotated into position and joined along vertical edges.

When 13.5-gauge tie wire is used as the joint material, all vertical edges of each gabion panel shall first be constructed to form individual empty gabions. Simple spiraling (looping without locking) of 13.5-gauge tie wire is not permitted. For welded-mesh, the joint shall be constructed using alternating single and double half hitches (locked loops) in every mesh opening along the joint.





When 9-gauge spiral binders are used, the spiral shall be screwed into position such that it passes through each mesh opening along the joint. Both ends of all 9-gauge spiral binders shall be crimped to secure the spiral in place.

Temporary fasteners may be used to hold panels wherever gabion-to-gabion joints will be constructed. Temporary fasteners may remain in place.

4.1 Assembly of Successive Gabions (Gabion-to-Gabion Joints)

Empty gabions shall be set in place. Individually constructed empty gabions shall be joined successively to the next empty gabion with 13.5-gauge tie wire or 9-gauge spirals, before filling with rock begins. The 13.5-gauge tie wire or 9-gauge spiral binders shall secure, in one pass, all selvage or end wires of panels of all the adjacent gabions along the joint.

4.2 Assembly of Multiple Layered Gabions

Multi-layered gabion configurations can be stepped and staggered as shown on the plans or as directed by the Engineer. When constructing multi-layered gabion configurations, each layer of gabions can be joined to the underlying layer along the front and ends, or as shown on the plans.

4.3 Assembly of Single-Layered Gabions

Single-layered gabion configurations shall be butted and joined along the front, back, and ends as shown on the plans, including tops and bottoms of adjacent gabions.

4.4 Assembly of Shear Key Gabions

Shear key gabions (also called "counterforts") shall be spaced as shown on the plans. Shear key gabions shall be tied to adjacent gabions in the manner specified for "Assembly of Successive Gabions."

4.5 Modified Geometry

To match the geometry of the planned gabion configuration, or to meet specific conditions panels shall be folded, cut, and/or re-tied to dimensions shown on the plans or as approved by the Engineer.

4.6 Filling with Rock

Rock shall be placed in gabions to insure proper alignment, avoid bulges, and provide a minimum of voids. All exposed rock surfaces shall have a smooth and neat appearance. No sharp edges shall project through the wire mesh.

When constructing with 1.5-foot high or 3-foot high gabions, pre-formed stiffeners shall be used to produce a flat, smooth external surface.

Pre-formed Stiffeners shall be installed on the exposed face of the gabion prior to rock placement, two rows at 1/3 points on 3' high gabions, one row at 1/2 point in 1.5' high gabions.

When filling 3-foot high gabions, rock shall be placed in 3 nominal 12-inch layers; when filling 1.5-foot high gabions, rock shall be placed in two 9-inch layers.

The last layer of rock shall slightly overfill the gabions such that the lid will rest on rock when it is closed.



HILFIKER RETAINING WALLS

*Welded Wire Wall • Eureka Reinforced Soil
Gabion Faced M.S.E. • Reinforced Soil Embankment
ArtWeld Gabions • Spiralnail • Steepened Slope • Trinity Wall*

4.7 Closure of Lids


Lids shall be tied along the front, ends, and diaphragms of individual gabions and to successive gabions with 9-gauge spiral binders in the same manner as specified elsewhere in this specification.

5.0 MEASUREMENT


Quantities of gabions to be paid for will be measured by the cubic yard and will be determined from the dimensions shown on the plans or the dimensions directed by the Engineer.

• End of Section •







TYPICAL GABION
NOT TO SCALE




TYPICAL ASSEMBLED GABION
NOT TO SCALE




NOTE: SIZES CAN VARY
TYPICAL OPEN SIDE
NOT TO SCALE



NOTE: SIZES CAN VARY
TYPICAL MATTRESS
NOT TO SCALE



NOTE: SIZES CAN VARY
TYPICAL OPEN END
NOT TO SCALE



END CELLS

STIFFENER DETAILS
NOT TO SCALE

STANDARD GABION SIZES

SIZE LxWxH	CU.YD.	SIZE LxWxH	CU.YD.	SIZE LxWxH	CU.YD.
3 x 3 x 3	1	3 x 3 x 1.5	0.5	3 x 3 x 1	0.33
6 x 3 x 3	2	6 x 3 x 1.5	1	6 x 3 x 1	0.67
9 x 3 x 3	3	9 x 3 x 1.5	1.5	9 x 3 x 1	1
12 x 3 x 3	4	12 x 3 x 1.5	2	12 x 3 x 1	1.33
6 x 6 x 3	4	6 x 6 x 1.5	2	6 x 6 x 1	1.33
9 x 6 x 3	6	9 x 6 x 1.5	3	9 x 6 x 1	2
12 x 6 x 3	8	12 x 6 x 1.5	4	12 x 6 x 1	2.67
24 x 6 x 3	16	24 x 6 x 1.5	8	24 x 6 x 1	5.33


NOTES

- GABION SIZES ARE EXPRESSED IN FEET.
- MATTRESSES AND CUSTOM SIZES PROVIDED ON REQUEST.
- GABIONS WHICH ARE TO BE CONNECTED TOGETHER SIDE-TO-SIDE OR END-TO-END, MAY BE PROVIDED OPEN-SIDED OR OPEN-ENDED AS SHOWN TO REDUCE WEIGHT, COST, AND ASSEMBLY TIME.
- GABIONS ARE MANUFACTURED OF 3"x3" WELDED WIRE MESH, WIRE SIZE AND FINISH VARIES;
 9 GA. BRITE BASIC (BLACK)
 9 GA. WITH 0.9 OZ/SF ZINC COATING
 11 GA. WITH 0.85 OZ/SF ZINC COATING.
 OPTIONAL 2.0 OZ/SF ZINC COATING IS AVAILABLE ON REQUEST.

STANDARD GABION DETAILS

WHERE HEIGHT OF GABION IS 18" OR LESS, INSTALL 2 STIFFENERS PER FACE
 WHERE HEIGHT IS 12", NO STIFFENERS REQUIRED

REV.NO.	DATE	BY	DESCRIPTION
1	16 JUN 98	DR	REVISED ZINC COATING THICKNESS
2	12 APR 02	DR	UPDATED BORDER
3	15 NOV 06	AMJ	UPDATED BORDER, MINOR CHANGES
4	11 NOV 07	JTE	MINOR CHANGES



PROJ.MGR.
 ENGINEER
 CADD BY
 HRW

HILFIKER RETAINING WALLS

1902 Hilfiker Lane
 Eureka, CA 95503-5711
 TOLL-FREE 800.762.8962
 PH 707.443.5093 FAX 707.443.2891
 WEB SITE www.hilfiker.com E-MAIL info@hilfiker.com

SINCE 1902
 QUALITY PRODUCTS

DWG DATE
 17 JUL 95


REVISION DATE
 11 NOV 07

SCALE
 NOTED

STANDARD DRAWING	PROJECT NO.	
ARTWELD GABIONS		SHEET 1
DETAILS AND NOTES		OF 2


STANDARD GABION DETAILS

CRIMP ENDS OF SPIRAL CLOSED



9 GA SPIRAL BINDER CONNECTS GABIONS TOGETHER

OPTIONAL 13 GA TIE WIRE, ONE HITCH AT 3" SPACING




9 GA. SPIRAL BINDERS CONNECT BASES TO LIDS IF REQUIRED.

ASSEMBLY DETAILS - STEP FACE WALL


NOT TO SCALE

CRIMP ENDS OF SPIRAL CLOSED



9 GA SPIRAL BINDER CONNECTS GABIONS TOGETHER


OPTIONAL 13 GA TIE WIRE, ONE HITCH AT 3" SPACING



9 GA. SPIRAL BINDERS CONNECT BASES TO LIDS IF REQUIRED.


ASSEMBLY DETAILS

CRIMP ENDS OF SPIRAL CLOSED



9 GA SPIRAL BINDER CONNECTS GABIONS TOGETHER

OPTIONAL 13 GA TIE WIRE, ONE HITCH AT 3" SPACING



ASSEMBLY DETAILS - VERTICAL WALL

NOT TO SCALE

THIS DRAWING IS FURNISHED SOLELY FOR THE USE OF OR IN CONNECTION WITH THIS PROJECT, AND THE PROPRIETARY INFORMATION SHOWN HEREON IS NOT TO BE TRANSMITTED TO ANY OTHER ORGANIZATION WITHOUT SPECIFIC AUTHORIZATION BY THE HILFIKER COMPANY. HILFIKER RETAINING WALLS ARE PROTECTED BY ONE OR MORE OF THE FOLLOWING PATENTS: 243,613, 243,697, 288,616, 4,117,686, 4,329,089, 4,324,508, 4,391,557, 4,505,621, 4,643,618, 4,661,023, 4,856,939, 5,076,735, 5,647,695, 5,722,799, 6,357,970 AND OTHERS. OTHER PATENTS PENDING (2004)

REV.NO.	DATE	BY	DESCRIPTION
1	6/16/98	DR	REVISED ZINC COATING THICKNESS
2	4/12/02	DR	UPDATED BORDER
3	15 NOV 06	AMJ	UPDATED BORDER, MINOR CHANGES
4	11 NOV 07	JTE	MINOR CHANGES

GRAPHIC SCALE

LINE IS 20 UNITS LONG ON ORIGINAL DRAWING



PROJ.MGR.

ENGINEER

CADD BY
HRW

HILFIKER RETAINING WALLS



1902 Hilfiker Lane
Eureka, CA 95503-5711
TOLL-FREE 800.762.8962
PH 707.443.5093 FAX 707.443.2891
WEBSITE www.hilfiker.com E-MAIL info@hilfiker.com



DWG DATE

MAY 08

REVISION DATE

SCALE
NOTED

STANDARD DRAWING

ARTWELD GABIONS

DETAILS AND NOTES


PROJECT NO.

SHEET

2

OF 2

ARTWELD GABIONS & GABION FACED M.S.E. Construction Guide



HILFIKER RETAINING WALLS

1902 Hilfiker Lane
Eureka, California 95503-5711
Local (707)443-5093 - Fax (707)443-2891
Toll Free (800)762-8962
Web: <http://hilfiker.com> email: info@hilfiker.com



SCAN TO VISIT OUR WEBSITE

The **ArtWeld Gabion** is named for our friend and coworker, Arthur Lee Hilfiker, who originated, developed and tested the gabions before his untimely death in June 1986. Arthur's idea was to develop a gabion that was easily shipped, quickly assembled and structurally superior to conventional gabions. He succeeded admirably.

*The possible uses of **ArtWeld Gabions** are so varied that this guide can not show them all. The purpose of this guide is to detail only the assembly process. Follow your plans for the structural design and site placement.*

ArtWeld Gabions are factory cut from galvanized or non-galvanized 3" x 3" Welded Wire Mesh. The main panel components are fastened together at our facilities with galvanized clips and spiral binders. They are then folded and shipped flat to the site. No flattening, bending, stretching or folding is required in the field. The sides are simply raised and connected together with spiral binders. Because the wire is not bent, no cracking of the galvanized coating can occur. Typically, a 6' x 3' x 3' gabion takes less than 5 minutes to make ready for filling.

The strength of Welded Wire Mesh offers many advantages. It allows careful machine filling. It is easy to hold the alignment of the face. The manufacture of large gabions is possible, up to 24' x 6' x 3', meaning fewer seams to be joined in the field. Also, if a gabion must be cut to fit site conditions, the wire can be cut with bolt cutters without losing structural strength.

ArtWeld Gabions can be manufactured in conventional sizes, or custom sizes for special site conditions. Wire diameter and thickness of galvanizing, if any, can be varied to suit job requirements.

For your next gabion project, contact Hilfiker Retaining Walls for a quote on a product we are proud to manufacture. We look forward to being of service to you and your clients.


July 2014



3" = 76MM	6' = 1.83M
3' = 914MM	24' = 7.32M



ARTWELD GABIONS CAN BE MANUFACTURED IN BOTH ENGLISH AND METRIC UNITS. FOR SIMPLICITY, DIMENSIONS IN THIS GUIDE REFER ONLY TO **ENGLISH UNITS**. CONSTRUCTION METHODS FOR BOTH TYPES ARE IDENTICAL.




STANDARD **ENGLISH** UNIT GABIONS ARE SIZED IN MULTIPLES OF 3 FEET (0.914 METERS). THEY ARE MANUFACTURED OF 3"x3" (76MM X 76MM) WELDED WIRE FABRIC.

STANDARD **METRIC** UNIT GABIONS ARE SIZED IN MULTIPLES OF 1 METER (3.28 FEET). THEY ARE MANUFACTURED OF 83MM X 83MM (3.25" X 3.25") WELDED WIRE FABRIC.


BOTH ENGLISH UNIT AND METRIC UNIT GABIONS ARE SUPPLIED IN 9 GA AND 11 GA GALVANIZED, AND 9 GA NON-GALVANIZED WELDED WIRE FABRIC.

NON-STANDARD SIZES, AND MATTRESSES, CAN BE SPECIAL-ORDERED TO FIT PROJECT REQUIREMENTS.

RECOMMENDED UNLOADING PROCEDURE




GABION PARTS (NOT TO SCALE)




ON-SITE ASSEMBLY

1




FIRST, UNFOLD THE GABION



THEN STAND THE SIDES UP AND JOIN THE EDGES TEMPORARILY WITH HOG RINGS

THIS GUIDE SHOWS ASSEMBLY WITH HOG RINGS AND SPIRAL BINDERS BECAUSE THAT IS THE EASIEST AND FASTEST ASSEMBLY METHOD.



MATTRESS


YOU MAY USE TIE WIRE AND HALF-HITCH LACING FOR ALL CONNECTIONS IF DESIRED.

HOG RINGS ARE **NOT** PERMANENT CONNECTIONS AND MUST BE FOLLOWED BY SPIRAL BINDERS OR TIE WIRE.

LIDS ARE NOT FACTORY ATTACHED ON GABIONS WIDER THAN 3'.



2




EXCAVATE AND FINE-GRADE THE FOUNDATION.

FOUNDATION MUST BE REASONABLY LEVEL AND CAPABLE OF SUPPORTING IMPOSED LOADS


GABIONS MAY BE FIELD CUT TO FIT CURVES, CULVERTS OR ANGLES.

RECONNECT THE ENDS OF THE GABIONS THE SAME WAY YOU WOULD ASSEMBLE AN UNCUT GABION




4

CLIP TOP EDGES OF THE BASKETS TOGETHER WITH HOG RINGS



IF YOU ARE USING TIE WIRE, USE HALF-HITCH LACING AT 3"



CRIMP ENDS OF ALL SPIRAL BINDERS

USE ONE SPIRAL AT *EVERY* VERTICAL CONNECTION.

BIND ALL EXTERIOR CORNERS & DIAPHRAGMS

PLACE THE FIRST COURSE OF GABIONS ON THE FOUNDATION.

YOU MAY CLIP THE SIDES TOGETHER WITH HOG RINGS TO HOLD THEM TEMPORARILY.

PERMANENTLY BIND THE GABIONS TOGETHER AS SHOWN FOR THE FULL HEIGHT AT ALL CORNERS AND DIAPHRAGMS.




STIFFENER INSTALLATION


5

BEFORE FILLING, INSTALL STIFFENERS ACROSS THE CORNERS OF THE GABIONS ON ALL EXTERIOR SIDES OF THE STRUCTURE


NO STIFFENERS IN INTERIOR CELLS




18" & 24"
GABIONS
REQUIRE
ONLY ONE
ROW OF
STIFFENERS



A 12"
GABION
DOES NOT
REQUIRE
STIFFENERS



7




BE SURE TO HOOK THE STIFFENERS ACROSS A WELD INTERSECTION AS SHOWN.

CRIMP BOTH ENDS OF THE STIFFENERS CLOSED.

USING THE PUSH RODS

8



SLIDE THE FLAT END OF THE PUSH ROD OVER THE END OF THE HOOK ON THE STIFFENER


ROTATE THE PUSH ROD UP AND AROUND TO TWIST THE END OF THE STIFFENER AND SECURE IT FOR THE BACKFILL OPERATION

GABION

STIFFENER

BEGIN THE FILL


9



CHECK THE WALL ALIGNMENT BEFORE YOU BEGIN BACKFILLING.


USE 4" TO 8" CLEAN STONE, OR CHECK THE PROJECT SPECIFICATIONS (SOME REQUIRE DIFFERENT SIZES).

PLACE THE STONE IN 9" OR 12" LIFTS (SEE SPECS). SPREAD IT BY HAND TO MINIMIZE VOIDS. TAKE CARE TO KEEP THE BASKETS SQUARE AND THE DIAPHRAGMS STRAIGHT.



10

12" MAXIMUM
RECOMMENDED




IT IS RECOMMENDED THAT THE FILL IN ANY CELL NEVER BE MORE THAN 12" HIGHER THAN THE FILL IN AN ADJOINING CELL.

11

CONTINUE FILLING THE GABIONS IN 12" LIFTS UNTIL THEY ARE FILLED. FILL FLUSH OR SLIGHTLY ABOVE THE TOP OF THE GABION.

FLUSH




LOWER THE LIDS. YOU MAY USE HOG RINGS FOR TEMPORARY CONNECTIONS. INSTALL SPIRALS AT ALL PERIMETER AND DIAPHRAGM EDGES.

PLACE THE NEXT COURSE OF GABIONS. USE SPIRALS TO PERMANENTLY BIND THE FRONT, BACK AND SIDES TO THE FILLED GABIONS OR PER THE PROJECT SPECIFICATIONS.

REPEAT STEPS (4) THRU (12) TO THE TOP OF THE STRUCTURE.

ONE SPIRAL MAY BE USED TO CONNECT THE LID AND UPPER BASKET IN ONE STEP

12




NOTES

GABION-FACED M.S.E. WALL


The Hilfiker Gabion Faced M.S.E. Wall combines **ArtWeld Gabions** at the face of the structure, with welded wire soil reinforcement mats spaced vertically at 3-foot intervals.

The "scissor-style" gabions are manufactured in lengths up to 18 feet. "Scissor-style" refers to the folding pattern of the gabions. They are partially pre-assembled at our factory, with the vertical edges of the diaphragms permanently connected to the vertical faces, and the lid and bottom panels connected to the main body along one long side. They are folded flat for shipment.

The wire gauge and length of the welded wire soil reinforcement mats will vary as required for each specific site.




GABION FACED M.S.E. WALL PARTS



13


BEGIN THE GABION FACED M.S.E. WALL BY PLACING THE SOIL REINFORCEMENT MATS ON THE PREPARED FOUNDATION



14

UNFOLD THE GABIONS AND CLOSE THE BOTTOM PANELS. YOU CAN CLIP THEM TEMPORARILY WITH HOG RINGS.


PLACE THE FIRST LIFT OF GABIONS ON THE MATS



15

LINE UP THE BOTTOM FACE OF THE GABION WITH THE FIRST TRANSVERSE WIRE ON THE MAT.

SPIRAL THE BOTTOM FACE OF THE GABION TO THE FIRST TRANSVERSE WIRE ON THE MAT





THE SPIRAL WILL PERMANENTLY CONNECT THE BOTTOM OF THE GABION TO THE FRONT, AND CONNECT THE GABION TO THE MAT IN ONE STEP

16

INSTALL VERTICAL SPIRALS TO CONNECT ALL ENDS TOGETHER

CRIMP ENDS OF ALL SPIRALS CLOSED



INSTALL STIFFENERS IN ALL CORNERS, 8 PER CELL, AS SHOWN IN STEPS 5 THRU 8

BEGIN THE BACKFILL


INSTALL GEOTEXTILE AGAINST THE BACK OF THE GABIONS.

17


PLACE AND COMPACT A LIFT OF BACKFILL OVER THE MATS PRIOR TO PLACING THE GABION ROCK. PLACE THE ROCK AS SHOWN IN STEPS 9 TO 11.

DO NOT OPERATE HEAVY EQUIPMENT ON THE BARE WIRE!

NEVER BACKFILL AGAINST THE BACK OF AN EMPTY BASKET




18 WHEN THE GABIONS ARE FILLED WITH ROCK, CLOSE THE LIDS AND PERMANENTLY CONNECT THEM TO THE BACK OF THE SPIRALS.




COMPLETE THE SOIL BACKFILL AND COMPACTION AS REQUIRED IN THE PROJECT PLANS TO THE TOP OF THE BASKETS

19 PLACE THE SECOND LIFT OF MATS ON THE CLOSED GABIONS AND THE BACKFILL



SET THE FIRST TRANSVERSE WIRE ON THE MATS 6" BACK FROM THE FACE OF THE GABIONS. SEE STEP 21.


PLACE THE SECOND ROW OF GABIONS ON THE MATS, WITH THE FRONT FACE OFFSET FROM THE GABIONS BELOW



20


21

PERMANENTLY CONNECT THE GABIONS AND MATS WITH SPIRALS AS SHOWN.



CONTINUE STEPS 16 THRU 21 TO THE TOP OF THE WALL

22




FORMING ANGLES WITH GABIONS

TO FORM A CONVEX ANGLE (PLAN VIEW LOOKING DOWN ON THE WALL)

TRIM THE BACK OF
THE GABION IF
NECESSARY

SPIRAL
OR TIE
WIRE

BACK OF
GABION
WALL



REMOVE THE
END PANEL ON
THE LEFT GABION
AND SLIDE THE
END OF THE RIGHT
GABION INSIDE. OVERLAP
THE BOTTOM AND LID PANELS


SPIRAL

FACE OF
GABION
WALL

TO FORM A CONCAVE ANGLE (PLAN VIEW LOOKING DOWN ON THE WALL)

SPREAD THE GABIONS
APART AS NECESSARY


BACK OF
GABION
WALL



SPIRAL

FACE OF
GABION
WALL

PIPE PENETRATION THRU GABION



GABION WIRE SPECIFICATIONS

USA WIRE GAUGE	DIAMETER, INCHES	MINIMUM ALLOWABLE AVERAGE GABION WIRE DIAMETER WITH CLASS 3 ZINC-COATING, INCHES
9	.148	.144
11	.120	.116
13.5	.086	.082 (STANDARD TIE WIRE)


SOIL REINFORCEMENT MAT WIRE SIZE COMPARISON TABLE

"W" SIZE NUMBER	NOMINAL DIAMETER (INCHES)	NOMINAL DIAMETER (MM)
W12.0	.391	9.9
W9.5	.348	8.8
W7.0	.299	7.6
W4.5	.239	6.1
W4.0	.226	5.7
W3.5	.211	5.4

FOR MORE INFORMATION ON WELDED WIRE REINFORCEMENT (WWR)
CHECK THE WEBSITE FOR THE WIRE REINFORCEMENT INSTITUTE.
WWW.WIREREINFORCEMENTINSTITUTE.ORG

HILFIKER MSE WALL SYSTEMS

OTHER HILFIKER PRODUCTS




WELDED WIRE WALL

The Hilfiker Welded Wire Retaining Wall is a flexible soil reinforcement system. It is composed of Welded Wire Mesh mats and compacted soil. Mats are supplied in 8' (2.44m) spans, and 24" (610mm) horizontal lifts. The final wall face may be vertical or battered, and may remain exposed Welded Wire (as shown) or may be covered with air-blown mortar, plants or rock. The Welded Wire Wall is adaptable to curves, angles and steps. The mats are easily cut to permit installation of penetrating culverts or pipes, or to fit special site applications.

EUREKA REINFORCED SOIL (E.R.S.)


The Hilfiker E.R.S. Retaining Wall begins as a Welded Wire Wall, with the addition of face anchors to tie to a concrete face. After completion and settlement of the Welded Wire Wall, a solid facing is attached. This may be cast-in-place concrete, precast full-height concrete panels, or special rock or gunite as required by the project specifications. The facial treatment of this retaining wall adapts easily to almost any pattern or concept.



HILFIKER STEEPENED SLOPE

The Hilfiker Steepened Slope system is composed of Welded Wire Fabric components. The flat primary soil reinforcement mats are interlocked with bent facing mats, prefabricated to a 1:1 slope. The slope may be flattened, if desired, by stepping back each layer. Behind the facing mats are Welded Wire Fabric backing mats incorporated with erosion mat or sod.


Virtually any type of sod or vegetation that will best suit the environment may be used with this system. Low-growth, maintenance-free vegetation is typically specified.



REINFORCED SOIL EMBANKMENT (SMOOTH FACE)

The R.S.E. Smooth Face Retaining Wall retains most of the advantages of the Hilfiker Welded Wire Wall, while providing the additional durability of precast face panels.

The concrete panels can be cast with a smooth finish, or to match a variety of architectural treatments. In most structures, the simple 12'-6" x 2'-6" (3.81m x 0.76m) standard panel is used, making all the panels interchangeable. Special panel sizes can be manufactured when required. Panels are cast with pre-installed reinforcement mat anchors, and a cantilever footing at the back face, making installation fast and easy.



1902 Hilfiker Lane - Eureka, CA 95503-5711
Local: (707)443-5093 - Fax: (707)443-2891 - Toll Free: (800) 762-8962
Web: <http://hilfiker.com> email: info@hilfiker.com



MATERIAL WARRANTY FOR HILFIKER SYSTEMS

Hilfiker Retaining Walls warrants that all retaining wall and gabion materials manufactured by Hilfiker shall be free from defects in design and workmanship and shall conform in all respects to one or more of the following applicable specifications:

ASTM	AASHTO	Standard Specification Description
A1064 *	M 336 **	Steel Wire and Welded Wire, Plain and Deformed
A53		Steel Pipe
A500-03a		Steel Tubing
A36		Carbon Structural Steel
A370	T 244	Test Methods & Definitions for Mechanical Testing of Steel Products
A123	M 111	Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products (2 oz. / SF galvanization)
A641		Zinc-Coated (Galvanized) Carbon Steel Wire (class 3 galvanization)
A740 - 98(2014)		Hardware Cloth (Woven or Welded Galvanized Steel Wire Fabric)

*ASTM A82 and A185 were combined in 2010 into A1064

**AASHTO M 32 and M 55 were combined in 2018 into M 336

It is assumed that construction and workmanship meet all material requirements and specifications as provided by Hilfiker. All backfill materials are provided by the Contractor who is solely responsible for the material quality and the installation of the backfill. Not covered by any implied or express warranty would be foundation settlement, settlement of the backfill, erosion of the foundation soils, or corrosion of the reinforcement due to the use of non-conforming backfill, and other external stability matters. Hilfiker Retaining Walls cannot offer a performance warranty because we have no control over the wall materials after delivery to the jobsite.

The design associated with this warranty was based on information provided to Hilfiker and their consulting engineer by the Owner/Contractor. The consulting engineer who prepared the associated design has a valid license and provides professional liability coverage. Their obligation is to live up to the standard of practice (standard of care) for the given geographic location at the time the service is, or was provided. Alterations to their design submittals, without prior approval, will nullify any responsibility on their part.

Hilfiker Retaining Walls requires that the wall components are manufactured to the stipulated ASTM standards as well as internal quality assurance standards for fabrication. However, we do not exercise control over the construction, use, or the service conditions to which the wall is subjected and thus would void our insurance by attempting to extend coverage into areas for which we have no control.

Updated: August 12, 2019

